



# PERRY JOHNSON LABORATORY ACCREDITATION, INC.

## Certificate of Accreditation

*Perry Johnson Laboratory Accreditation, Inc. has assessed the Laboratory of:*

### ***Advanced Botanical Consulting & Testing, Inc.***

*1169 Warner Ave., Tustin, CA 92780  
17031 Daimler Street, Irvine, CA 92614*

*(Hereinafter called the Organization) and hereby declares that Organization is accredited  
in accordance with the recognized International Standard:*

### **ISO/IEC 17025:2017**

This accreditation demonstrates technical competence for a defined scope and the  
operation of a laboratory quality management system  
(as outlined by the joint ISO-ILAC-IAF Communiqué dated April 2017):

### ***Chemical and Microbiological Testing*** *(As detailed in the supplement)*

Accreditation claims for such testing and/or calibration services shall only be made from addresses referenced within this certificate. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body's duty to observe and comply with the said rules.

For PJLA:

Tracy Szerszen  
President

*Initial Accreditation Date:*

October 19, 2018

*Issue Date:*

December 15, 2022

*Expiration Date:*

February 28, 2025

*Accreditation No.:*

100092

*Certificate No.:*

L22-877

Perry Johnson Laboratory  
Accreditation, Inc. (PJLA)  
755 W. Big Beaver, Suite 1325  
Troy, Michigan 48084

*The validity of this certificate is maintained through ongoing assessments based on a  
continuous accreditation cycle. The validity of this certificate should be  
confirmed through the PJLA website: [www.pjllabs.com](http://www.pjllabs.com)*



# Certificate of Accreditation: Supplement

## Advanced Botanical Consulting & Testing, Inc.

1169 Warner Avenue, Tustin, CA 92780

17031 Daimler Street, Irvine, CA 92614

Contact Name: Jennifer Birch Phone: 323-215-7487

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical <sup>F</sup>	Dietary Supplements, Nutraceuticals, and Food	Residual Solvents	LSOP 3.2.29	LoQ: 10 ppm
		Fatty Acids: Methyl Esters Ethyl Esters	LSOP 3.2.8	
			LSOP 3.2.9	
		Vitamins Assay: Fat Soluble	LSOP 3.1.334	LoQ: 50 ppm
		Vitamins Assay: Water Soluble	LSOP 3.1.335	
		Elemental Impurities	LSOP 3.12.3	LoQ: 1 ppm
Microbiological <sup>F</sup>		Total Plate Count	LSOP 3.10.4	LoQ: 5 CFU/g
		Yeast & Mold	LSOP 3.10.5	

1. The presence of a superscript F means that the laboratory performs testing of the indicated parameter at its fixed location. Example: Outside Micrometer<sup>F</sup> would mean that the laboratory performs this testing at its fixed location.

